DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

SECTION 1. IDENTIFICATION

Product Name: Dimethyl Silicone Fluid 30,000cs (Centistokes)

Manufacturer or supplier's details

Company name of supplier: JIT Silicones Plus

Address: 5 Industrial Park Drive

Oakdale, PA 15071

Telephone: 855-548-7587

Emergency Telephone: 24 Hour Emergency Telephone:

CHEMTREC: (800) 424-9300

Recommended use of the chemical and restrictions on use

Recommended use: Intermediate

Process regulators, other than polymerization or vulcanization

processes Cosmetics

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Not a hazardous substance or mixture.

GHS Label Element Not a hazardous substance or mixture.

Other hazards: None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture: Substance

Substance Name: Dimethyl siloxane, trimethylsiloxy-terminated

CAS-No.: 63148-62-9

Chemical Nature: Silicone

Hazardous Ingredients: No hazardous ingredients

SECTION 4. FIRST AID MEASURES

If inhaled: If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact: Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

GHS--DSF-30,000cs Page 1 **Part(s) #:** 30053 - 30054

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

In case of eye contact: Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed: If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects,

both acute and delayed:

None known.

Protection of first-aiders: No special precautions are necessary for first aid responders.

Notes to physician: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing media: None known.

Specific hazards during fire fighting: Exposure to combustion products may be a hazard to health.

Hazardous combustion products: Carbon oxides

Silicon oxides Formaldehyde

Specific extinguishing methods: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so.

Evacuate area.

Special protective equipment for fire-

fighters:

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Follow safe handling advice and personal protective equipment

recommendations.

Environmental precautions: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or oil

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

 $\label{eq:methods} \mbox{Methods and materials for containment}$

and cleaning up:

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed

in the cleanup of releases.

You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures: See Engineering measures under EXPOSURE CONTROLS/

PERSONAL PROTECTION section.

Local/Total ventilation: Use only with adequate ventilation.

Advice on safe handling: Handle in accordance with good industrial hygiene and safety

practice.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage: Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid: Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures: Processing may form hazardous compounds (see section 10).

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Personal protective equipment:

Respiratory protection: No personal respiratory protective equipment normally

required.

GHS--DSF-30,000cs Page 3
Part(s) #: 30053 - 30054

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

Hand protection

Remarks: Wash hands before breaks and at the end of workday.

Eye protection: Wear the following personal protective equipment:

Safety glasses

Skin should be washed after contact. Skin and body protection:

Hygiene measures: Ensure that eye flushing systems and safety showers are

> located close to the working place. When using, do not eat, drink or smoke. Wash contaminated clothing before re-use.

These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may

require added precautions.

For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or

contact JIT Silicones Plus customer service group.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Viscous liquid

Color: Colorless

Odor: Characteristic

Odor Threshold: No data available

No data available pH:

Melting point/freezing point: No data available

Initial boiling point and boiling range: >65° C

Flash point: No data available

No data available Evaporation rate:

Upper explosion limit: No data available

Lower explosion limit: No data available

Vapor pressure: No data available

No data available Relative vapor density:

GHS--DSF-30,000cs Part(s) #: 30053 - 30054

DIMETHYL SILICONE FLUID-30,000CS

1		· · · · · · · · · · · · · · · · · · ·		
	Version:	Revision Date:	MSDS Number:	Date Completed:
	1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

Relative density: 0.97

Solubility./(ies)

Water solubility: No data available

Partition coefficient: n-octanol/water: No data available

Autoignition temperature: No data available

Decomposition temperature: No data available

Viscosity

Viscosity, kinematic: 30,000 cSt

Explosive properties: Not explosive

Oxidizing properties: The substance or mixture is not classified as oxidizing.

Molecular weight: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not classified as a reactivity hazard.

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Can react with strong oxidizing agents.

When heated to temperatures above 150°C (300°F) in the presence of air, trace quantities of formaldehyde may be

released.

Adequate ventilation is required.

See OSHA formaldehyde standard, 29 CFR 1910.1048.

Hazardous decomposition products will be formed at elevated

temperatures.

Conditions to avoid: None known.

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Thermal decomposition: Formaldehyde

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

pased on available information.

:oxicity: LD50 (Rat) > 15,400 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity.

Remarks: Based on data from similar materials.

ial toxicity: LD50 (Rabbit) > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity.

Remarks: Based on data from similar materials.

/irritation:

ased on available information.

t

1 irritation

d on data from similar materials.

mage/eye irritation:

ased on available information.

t

irritation

d on data from similar materials.

skin sensitization:

on: Not classified based on available information.

nsitization: Not classified based on available information.

oes not cause skin sensitization.

ximization Test (GPMT)

a pig

d on data from similar materials.

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro: Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials.

Carcinogenicity

Not classified based on available information.

Product:

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials.

Carcinogenicity – Assessment: Animal testing did not show any carcinogenic effects.

IARC No ingredient of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

OSHANo ingredient of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP No ingredient of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

Reproductive toxicity: Not classified based on available information.

Product:

Effects on fertility: Species: Rabbit, male

Application Route: Ingestion Symptoms: No effects on fertility

Remarks: Based on data from similar materials.

Effects on fetal development: Test Type: Prenatal development toxicity study

(teratogenicity)

Species: Rabbit, female

Application Route: Skin contact

Symptoms: No effects on fetal development Remarks: Based on data from similar materials.

GHS--DSF-30,000cs Page 7

Part(s) #: 30053 - 30054

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

Inhalation Skin contact Ingestion Eye contact

Acute toxicity:

Not classified based on available information.

Product:

Acute oral toxicity: LD50 (Rat) > 15,400 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity.

Remarks: Based on data from similar materials.

Acute dermal toxicity: LD50 (Rabbit) > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity.

Remarks: Based on data from similar materials.

Skin corrosion/irritation:

Not classified based on available information.

Product:

Species: Rabbit

Result: No skin irritation

Remarks: Based on data from similar materials.

Serious eye damage/eye irritation:

Not classified based on available information.

Product:

Species: Rabbit

Result: No eye irritation

Remarks: Based on data from similar materials.

Respiratory or skin sensitization:

Skin sensitization: Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

ole

d degradability

ole

ve potential

ole

ı

GHS--DSF-30,000cs **Part(s) #:** 30053 - 30054

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methodsThis product has been evaluated for RCRA characteristics and

Resource Conservation and does not meet the criteria of hazardous waste if discarded in its

Recovery Act (RCRA): purchased form.

Waste from residues: Dispose of in accordance with local regulations.

Contaminated packaging: Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II or MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good.

SECTION 15. REGULATORY INFORMATION

EPCRA – Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

SARA 311/312 Hazards: No SARA Hazards.

SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components

with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III,

Section 313.

US State Regulations:

Pennsylvania Right To Know

Dimethyl siloxane, trimethylsiloxy-terminated 63148-62-9 90 – 100%

New Jersey Right To Know

Dimethyl siloxane, trimethylsiloxy-terminated 63148-62-9 90 - 100%

California Prop 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth or any other

reproductive defects.

The ingredients of this product are reported in the following inventories:

ENCS/ISHL: All components are listed on ENCS/ISHL or exempted from inventory

listing.

KECI: All ingredients listed, exempt or notified.

AICS: All ingredients listed or exempt.

DSL: All chemical substances in this product comply with the CEPA 1999

and NSNR and are on or exempt from listing on the Canadian

Domestic Substances List (DSL).

IECSC: All ingredients listed or exempt.

PICCS: All ingredients listed or exempt.

REACH: All ingredients (pre-)registered or exempt.

TSCA: All chemical substances in this material are included on or exempted

from listing on the TSCA Inventory of Chemical Substances.

NZIoC: All ingredients listed or exempt.

Inventories

DIMETHYL SILICONE FLUID-30,000CS

Version:	Revision Date:	MSDS Number:	Date Completed:
1.1	06/2015	GHS-30053-54-DSF-30,000cs	10/2015

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA).

SECTION 16. OTHER INFORMATION

Further Information

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = Not Significant, 1 = Slight, 2 = Moderate, 3 = High, 4 = Extreme, * = Chronic

Sources of key data used to Compile the Material Safety Data Sheet: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date: 06/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8